

## S P E C I F I C A T I O N   P R O P O S A L

	Description	Weight Front	Weight Rear
<b>Vehicle Configuration</b>			
	WESTERN STAR 4900FA CHASSIS 2011 MODEL YEAR SPECIFIED SET FORWARD AXLE - TRACTOR LH PRIMARY STEERING LOCATION	7,890	7,200
<b>Engine</b>			
N	DD15 14.8L 560 HP @ 1800 RPM, 2000 GOV RPM, 1850 LB/FT @ 1100 RPM	210	
<b>Engine Equipment</b>			
	2007 EPA/CARB EMISSION CERTIFICATION STANDARD OIL PAN ENGINE MOUNTED OIL CHECK AND FILL ONE PIECE VALVE COVER DUAL POLISHED STAINLESS STEEL 13 INCH DONALDSON COWL MOUNTED 1-STAGE AIR CLEANERS WITH POLISHED STAINLESS STEEL BANDS	40	
	DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOUNT PAD ALTERNATOR		
	(4) ALLIANCE ABSORBED GLASS MAT MODEL 9A31, GROUP 31, 12 VOLT MAINTENANCE FREE 3700 CCA THREADED STUD BATTERIES	100	40
	(2) STEEL BATTERY BOXES FOR UP TO (2) BATTERIES EACH BOX, LONG SIDE TO RAIL	80	40
	DUAL BATTERY BOXES FRAME MOUNTED (1) LH SIDE AND (1) RH SIDE UNDER CAB WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN POLISHING OF BATTERY BOX COVER		



Description	Weight Front	Weight Rear
POSITIVE CAB POWER SHUTOFF SWITCH IN CAB OUTBOARD OF DRIVER SEAT (EXCLUDES ENGINE ECM; DATASTAR AND RADIO MEMORY POWER)	2	
NO JUMPSTART POST		
EATON FULLER 15-1/2 INCH CERAMIC EASY PEDAL VCTPLUS MANUALLY ADJUSTED CLUTCH		
TORQUE LIMITING CLUTCH BRAKE		
ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING		
BENDIX 360CC 15.9 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE		
TEFLON COMPRESSOR DISCHARGE LINE		
ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
JACOBS COMPRESSION BRAKE		
RH INBOARD FRAME MOUNTED HORIZONTAL AFTERTREATMENT DEVICE WITH DUAL B-PILLAR MOUNTED VERTICAL TAILPIPES	55	55
ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND DASH MOUNTED SINGLE REGENERATION REQUEST/INHIBITIT SWITCH		
13 FOOT 00 INCH (156 INCH+0/-5 INCH) EXHAUST SYSTEM HEIGHT		
BRIGHT UPPER STACK(S), ELBOW(S) AND CLAMP(S)		
DUAL 30 DEGREE CURVED VERTICAL TAILPIPES B-PILLAR MOUNTED		
OVAL PERFORATED DUAL STAINLESS STEEL MUFFLER/TAIPIPE SHIELDS WITH WESTERN STAR LOGO		
BORG WARNER (KYSOR) K26RA REAR AIR ON/OFF ENGINE FAN CLUTCH		
AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED		
DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR		
FULL FLOW OIL FILTER		
DDC SUPPLIED COOLANT FILTER, ENGINE MOUNTED		
1750 SQUARE INCH ALUMINUM RADIATOR		
REMOTE MOUNTED SURGE TANK		



Description	Weight Front	Weight Rear
ANTIFREEZE TO -60F, ETHYLENE GLYCOL PRE-CHARGED SCA HEAVY DUTY COOLANT		
GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES AND AIR INTAKE SYSTEM		
STEEL OIL PAN GUARD	150	
PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER	4	
PHILLIPS-TEMRO 150 WATT/115 VOLT OIL PREHEATER	4	
CHROME COMMON BLOCK AND OIL PAN HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
DELCO 12V 39MT+ HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH		
CAST IRON FRONT AND REAR ENGINE SUPPORTS		
<b>Transmission</b>		
EATON FULLER RTLO-18918B TRANSMISSION	100	30
<b>Transmission Equipment</b>		
CAST IRON CLUTCH HOUSING		
PAINTED SHIFT LEVER, SOLID LINKAGE		
AIR TO OIL TRANSMISSION COOLER		
ROADRANGER SYNTHETIC 50W TRANSMISSION LUBE		
<b>Front Axle and Equipment</b>		
MFS-14-143A 14,700# FF1 SINGLE FRONT AXLE	60	
MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	60	
NON-ASBESTOS FRONT BRAKE LINING		
GUNITE CAST IRON FRONT BRAKE DRUMS		
FRONT BRAKE DUST SHIELDS	5	
CHICAGO RAWHIDE SCOTSEAL PLUS XL FRONT OIL SEALS		
VENTED FRONT HUB CAPS - OIL		
STANDARD SPINDLE NUTS FOR ALL AXLES		
MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
TRW TAS-85 POWER STEERING	40	
POWER STEERING PUMP		



	Description	Weight Front	Weight Rear
	4 QUART POWER STEERING RESERVOIR	5	
	STANDARD CUPS AND CONES (WHEEL BEARINGS) FRONT AND REAR		
	ORGANIC SAE 80/90 FRONT AXLE LUBE		
<b>Front Suspension</b>			
	14,600# TAPERLEAF FRONT SUSPENSION	130	
	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		
	ALUMINUM SPACER BLOCKS FOR FRONT SUSPENSIONS		
	FRONT SHOCK ABSORBERS		
<b>Rear Axle and Equipment</b>			
	RT-46-164P EH 46,000# R-SERIES TANDEM REAR AXLE		580
	4.10 REAR AXLE RATIO		
	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
*	CUSTOM MAIN (#2) DRIVELINE	99,999	99,999
*	CUSTOM INTERAXLE (#3) DRIVELINE	99,999	99,999
	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES		40
	INTERAXLE LOCK WITH DCDL BOTH REAR AXLES WITH CONTROL VALVE AND INDICATOR LIGHT FOR EACH (3)		
	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		20
	NON-ASBESTOS REAR BRAKE LINING		
	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS		
	GUNITE CAST IRON REAR BRAKE DRUMS		
	REAR BRAKE DUST SHIELDS		10
	CHICAGO RAWHIDE SCOTSEAL PLUS XL REAR OIL SEALS		
	HALDEX GOLDSEAL LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS		
	MERITOR AUTOMATIC REAR SLACK ADJUSTERS		
	SYNTHETIC 75W-90 REAR AXLE LUBE		
<b>Rear Suspension</b>			
	AIRLINER 46,000# REAR SUSPENSION WITH CHAIN CLEARANCE		480



Description	Weight Front	Weight Rear
AIRLINER HIGH POSITION RIDE HEIGHT		
AXLE CLAMPING GROUP WITH WELDED AXLE SEATS		
59.06 INCH (1500MM) AXLE SPACING		
MANUAL DUMP VALVE FOR AIR SUSPENSION WITH INDICATOR LIGHT AND GAUGE		
SINGLE AIR REAR SUSPENSION LEVELING VALVE		
TRANSVERSE CONTROL RODS		
REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)		
<b>Pusher / Tag Equipment</b>		
PUSHER/TAG CONTROL: (2) IN CAB UP/DOWN AIR VALVES WITH (2) GAUGES AND (2) AIR PRESSURE REGULATORS		
<b>Brake System</b>		
WABCO 4S/4M ABS WITHOUT TRACTION CONTROL		
REINFORCED NYLON AIR LINES		
FIBER BRAID PARKING BRAKE HOSE		
STANDARD BRAKE SYSTEM VALVES		
COMBO-ABS/SERVICE BRAKE VALVE WITH 5.5 PSI CRACK PRESSURE		
BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	40	
AIR DRYER MOUNTED INBOARD ON LH RAIL		
STEEL AIR BRAKE RESERVOIRS MOUNTED INSIDE RAIL		
PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS		
<b>Trailer Connections</b>		
15 FOOT COILED TRAILER AIR HOSE WITH 12 INCH TRACTOR, 12 INCH TRAILER LEADS	2	
* STRADDLE BRACKET MOUNTED BETWEEN RAILS	5	5
MOUNT 48" AFT OF CAB		
DUMMY GLAD HANDS BACK OF CAB - PAIR		
WIRING TO ELECTRICAL CONNECTION BACK OF CAB		
SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED ON CHASSIS BACK OF CAB/SLEEPER		
SUPPLEMENTAL RECEPTACLE WIRING FOR THIRD AXLE LIFT		



Description	Weight Front	Weight Rear
SUPPLEMENTAL ISO 3731 7-WAY RECEPTACLE LOCATED WITH PRIMARY RECEPTACLE		
17 FOOT DETACHABLE COILED PRIMARY TRAILER ELECTRICAL CABLE WITH SAE J560 CONNECTOR WITH 22 INCH TRACTOR, 16 INCH TRAILER LEADS	2	
15 FOOT DETACHABLE COILED SUPPLEMENTAL TRAILER ELECTRICAL CABLE; ISO 3731 7-WAY WITH 21 INCH TRACTOR, 21 INCH TRAILER LEADS	12	

### Wheelbase & Frame

6200MM (244 INCH) WHEELBASE		
3/8X3-7/8X11-5/8 INCH STEEL FRAME 120KSI	660	10
1/4 INCH (6MM) C-CHANNEL INSERT AT REAR SUSPENSION ONLY		170
1475MM (58 INCH) REAR FRAME OVERHANG		
FRAME OVERHANG RANGE: 51 INCH TO 60 INCH		
UNDERSLUNG CROSSMEMBER	40	
FLANGED TAPERED END OF FRAME		
FRONT CLOSING CROSSMEMBER		
EXTRA HEAVY DUTY STEEL C-CHANNEL BOLTED CONSTRUCTION BACK OF TRANSMISSION CROSSMEMBER	20	
HEAVY DUTY TUBULAR STEEL MIDSHIP #1 CROSSMEMBER	5	5
HEAVY DUTY REAR CROSSMEMBER		10
STANDARD WEIGHT REAR SUSPENSION FORWARD CROSSMEMBER		
STANDARD SUSPENSION CROSSMEMBER		
EXTRA HEAVY DUTY STEEL C-CHANNEL BOLTED CONSTRUCTION REAR MOUNTED SUSPENSION CROSSMEMBER		10

### Chassis Equipment

LH AND RH BACK OF CAB ACCESS	5	5
18 INCH (457MM) OPEN-GRATE TOP OF RAIL DECK PLATE		
LH AND RH FRAME MOUNTED STEPS	5	5
14 INCH CHROMED STEEL LOGGER BUMPER	210	-20
REMOVABLE CENTERED FRONT TOW PIN FOR LOGGER BUMPER		
BUMPER MOUNTING FOR SINGLE LICENSE PLATE		



	Description	Weight Front	Weight Rear
	BETTS B-67S STAINLESS STEEL MUDFLAP BRACKETS		
	WESTERN STAR LOGO BLACK MUDFLAPS		
	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS	10	
	MUDFLAPS MOUNTED REAR OF BATTERY/TOOL BOX	20	20
	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
<b>Fifth Wheel</b>			
*	CUSTOM FIFTH WHEEL	99,999	99,999
*	FIFTH WHEEL 102MM (04.0 INCHES) AHEAD OF SUSPENSION CENTERLINE	1	
*	ADDITIONAL FIFTH WHEEL DRILLINGS AT 2, 4, 6, 8, 10 AND 12 INCHES FORWARD OF BOLT DOWN POSITION		99,999
*	227MM (8.94 INCH) FIFTH WHEEL HEIGHT		5
*	PLATE MOUNT - FIFTH WHEEL MOUNTING		
<b>Fuel Tanks</b>			
	150 GALLON/567 LITER ALUMINUM FUEL TANK - RH	30	30
	150 GALLON/567 LITER ALUMINUM FUEL TANK - LH	140	60
	23 INCH DIAMETER FUEL TANK(S)		
	POLISHING OF FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS		
	FUEL TANKS MOUNTED UNDER CAB AFT OF BATTERY BOXES		
	POLISHED STEP FINISH		
	CHROME FUEL TANK CAP(S)		
	EQUIFLO INBOARD FUEL SYSTEM		
	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
	NO FUEL COOLER	-10	
<b>Tires</b>			
	MICHELIN XZE2 11R24.5 16 PLY RADIAL FRONT TIRES	28	
	MICHELIN XDY-EX 11R24.5 16 PLY RADIAL REAR TIRES		280
<b>Hubs</b>			
	CONMET HIGH CAPACITY PRE-SET BEARING ALUMINUM FRONT HUBS	10	



	Description	Weight Front	Weight Rear
N	CONMET PRE-SET BEARING ALUMINUM REAR HUBS		
<b>Wheels</b>			
*	CUSTOM FRONT DISC WHEELS	99,999	99,999
*	CUSTOM REAR DISC WHEELS	99,999	99,999
*	POLISHED FRONT WHEELS; OUTSIDE ONLY	1	
*	POLISHED REAR WHEELS; OUTSIDE OF OUTER WHEELS ONLY	1	
	FRONT WHEEL MOUNTING NUTS		
	REAR WHEEL MOUNTING NUTS		
<b>Cab Exterior</b>			
	123 INCH BBC STEEL CONVENTIONAL CAB		
	54 INCH STAR LIGHT LOW ROOF SLEEPER	250	300
	WESTERN STAR STAINLESS STEEL CAB AND SLEEPER SKIRT	10	5
	17.5"X25.0" LH AND RH BAGGAGE DOORS WITH PUSHBUTTON LATCH RELEASE		
	AIR CAB MOUNTS		
	STAINLESS STEEL SILL PLATES	5	
	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
	LARGE PROFILE FRONT FENDER		
	LH AND RH EXTERIOR GRAB HANDLES AND RH INTERIOR GRAB HANDLE MOUNTED TO 'A' POST		
	STAINLESS STEEL RADIATOR SHELL/HOOD BEZEL WITH STYLIZED TILT HOOD HANDLE		
	RADIATOR MOUNTED GRILLE		
	GALVANIZED STEEL SEVERE SERVICE CAB	50	
	ONE PIECE FIBERGLASS HOOD		
	HEAVY DUTY HOOD MOUNTING		
	FOUR HADLEY SD-978 26 INCH RECTANGULAR AIR HORNS	12	
	SINGLE ELECTRIC HORN		
	FOUR HORN SHIELDS		
	DOORS AND IGNITION KEYED THE SAME		
	SWITCH, INDICATOR LIGHT AND WIRING FOR (2) CUSTOMER FURNISHED BEACONS		
	DUAL RECTANGULAR HALOGEN HEADLIGHTS		
	(5) AMBER MARKER LIGHTS		
	ACCENT LIGHTS ON INTAKE BRACKET		



Description	Weight Front	Weight Rear
CUTOUPS IN BUMPER FOR (2) CUSTOMER FURNISHED RECTANGULAR ROAD/DRIVING LAMPS WITH WIRING AND SWITCH		
DAYTIME RUNNING LIGHTS		
GROTE TORSION MOUNT SEALED STOP/TAIL/TURN LIGHTS IN BOX BELOW REAR CROSSMEMBER		15
SQUARE CHROME FRONT TURN SIGNALS FENDER MOUNTED		
(2) CHROME SWIVEL UTILITY LIGHTS MOUNTED LH AND RH HIGH ON STAINLESS STEEL BRACKETS BACK OF SLEEPER	6	
(2) CHROME UTILITY LIGHTS WITH STAINLESS STEEL ANTI-GLARE SHIELDS MOUNTED ON MIRROR ARMS	6	
(2) SWITCHES WITH INDICATORS AND WIRING FOR CUSTOMER FURNISHED UTILITY LAMPS MOUNTED BACK OF CAB/SLEEPER WITH 10' COILED CABLE		
DUAL MOTO STAINLESS STEEL HEATED MIRRORS WITH LIGHTS AND RH REMOTE		
DOOR MOUNTED MIRRORS		
102 INCH EQUIPMENT WIDTH		
LH AND RH 8" STAINLESS STEEL CONVEX MIRRORS MOUNTED BELOW PRIMARY MIRRORS		
RH DOWN VIEW MIRROR		
STANDARD SIDE/REAR REFLECTORS		
REAR REFLECTIVE DEVICE		
DUAL LEVEL CAB ENTRY STEPS ON BOTH SIDES		
STAINLESS STEEL EXTERIOR SUN VISOR	15	
18.25X36.75 INCH TINTED SLIDING REAR WINDOW	20	
TINTED DOOR GLASS		
RH AND LH ELECTRIC POWERED WINDOWS	4	
25"X37.25" TINTED SIDE WINDOWS LH AND RH	15	15
2-PIECE TINTED CURVED BONDED WINDSHIELD		
1.5 GALLON WINDSHIELD WASHER RESERVOIR MOUNTED UNDER CAB WITH REMOTE FILL		
WHITE WINTERFRONT	2	

### Cab Interior

MESA MAROON EXPANDED VINYL CAB  
INTERIOR



Description	Weight Front	Weight Rear
MESA MAROON EXPANDED VINYL SLEEPER INTERIOR		
ABS UPPER AND CARPET LOWER LH DOOR TRIM		
ABS UPPER AND CARPET LOWER RH DOOR TRIM		
BLACK MATS WITH DOUBLE INSULATION		
COLOR COORDINATED CARPET WITH DOUBLE INSULATION IN SLEEPER		
BAGGAGE COMPARTMENT BLACK FLOOR MATS WITH PREMIUM NOISE ABATEMENT AND INSULATION		
DASH MOUNTED ASH TRAY AND LIGHTER, DRIVER SIDE		
LH UPPER UPHOLSTERED STORAGE SHELF	5	5
RH UPPER UPHOLSTERED STORAGE SHELF		
FORWARD ROOF MOUNTED CONSOLE		
PASSENGER SIDE WING DASH MOUNTED GLOVE BOX WITH LOCKING DOOR		
PLASTIC MANIFEST BOX - LH AND RH DOORS		
COAT HOOK ON RH BACKWALL OF CAB		
35 INCH WIDE LIFTABLE LOWER BUNK		
(1) DOUBLE CUP HOLDER MOUNTED IN CENTER OF DASH		
SLATE GRAY 'SOFT TOUCH' WING DASH WITH DRIVER SIDE COSMETIC UNDER DASH COVER		
2-1/2 LB. FIRE EXTINGUISHER MOUNTED OUTBOARD OF DRIVER SEAT	5	
HEATER, DEFROSTER AND AIR CONDITIONER WITH AUTOMATIC TEMPERATURE CONTROL AND COSMETIC COVER		
HVAC DUCTING WITH MAIN FRESH AIR FILTER		
AUXILIARY HEATER/AIR CONDITIONER WITH AUTOMATIC TEMPERATURE CONTROL	20	15
STANDARD PLUMBING WITH SHUTOFF VALVES		
SANDEN HEAVY DUTY AIR CONDITIONER COMPRESSOR		
RADIATOR MOUNTED AIR CONDITIONER CONDENSER		
ADDITIONAL CAB SIDEWALL INSULATION	60	10
ADDITIONAL SLEEPER INSULATION	25	25
AUTOMATIC SELF-RESET CIRCUIT BREAKERS		
DOOR AND BUNK ACTIVATED LH AND RH BUNK MOUNTED BAGGAGE COMPARTMENT LIGHTS		



Description	Weight Front	Weight Rear
DOOR ACTIVATED DOME LIGHT, UNDER DASH LIGHT WITH LH AND RH DOOR MOUNTED COURTESY LIGHTS AND LH AND RH READING LIGHTS		
(1) READING LIGHT, (1) FLUORESCENT LIGHT AND (1) FLOOR LIGHT IN SLEEPER		
LH AND RH ELECTRIC DOOR LOCKS		
BRIGHT DOOR HANDLES		
SPRING MATTRESS IN SLEEPER	15	15
(3) 12 VOLT POWER OUTLETS; (1) BELOW BUNK AND (2) IN RH SIDE WALL		
NATIONAL 2000 SERIES HIGH BACK AIR SUSPENSION DRIVER SEAT WITH ACTIVE AIR LUMBAR SUPPORT	10	
BOSTROM LOCKABLE TOOL BOX HIGH BACK NON SUSPENSION PASSENGER SEAT	20	
DUAL DRIVER AND PASSENGER SEAT ARMRESTS	8	
MORDURA CLOTH DRIVER SEAT		
MORDURA CLOTH PASSENGER SEAT		
3 POINT DRIVER AND PASSENGER SEAT BELT RETRACTORS		
SLEEPER CURTAIN		
ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10	
2-SPOKE 18 INCH (450MM) BLACK LEATHER WRAPPED STEERING WHEEL		
DRIVER AND PASSENGER INTERIOR SUN VISORS		

### Instruments & Controls

WESTERN STAR "STAR GAUGE" PACKAGE		
STANDARD FOOT PEDAL SYSTEM		
ELECTRONIC FOOT ACCELERATOR		
STAR GAUGES WITH BRIGHT BEZELS		
BURL ELM WOODGRAIN DRIVER INSTRUMENT PANEL		
BURL ELM WOODGRAIN CENTER INSTRUMENT PANEL INSERT		
(1) TRACTOR AND (1) TRAILER BRAKE APPLICATION AIR GAUGE		
2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES		
DASH MOUNTED AIR RESTRICTION GAUGE	2	



Description	Weight Front	Weight Rear
CRUISE CONTROL SWITCHES IN THE CENTER PANEL		
KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
DATASTAR DRIVER DISPLAY AND WARNING LAMP/LIGHT BAR DISPLAY, NON-DATA LINKED		
DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1587/1708/1939, LOCATED BELOW DASH		
2 INCH ELECTRIC FUEL GAUGE		
PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE		
ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
ENGINE OIL TEMPERATURE GAUGE		
2 INCH TRANSMISSION OIL TEMPERATURE GAUGE		
TELTEK OUTSIDE AIR TEMPERATURE GAUGE WITH LED CELSIUS DISPLAY MOUNTED IN OVERHEAD CONSOLE		
ELECTRIC ENGINE OIL PRESSURE GAUGE		
STANDARD SMALL FACE PYROMETER	2	
DELPHI AM/FM/WB/SIRIUS PREMIUM RADIO WITH CD	10	
(6) RADIO SPEAKERS: (2) IN CAB OVERHEAD CONSOLE, (1) IN EACH DOOR AND (2) IN SLEEPER		
AM/FM ANTENNA MOUNTED ON RH FRONT A-PILLAR		
COBRA 29 WX ST FACTORY INSTALLED CB RADIO WITH WEATHERBAND	5	
MULTI-BAND AM/FM/WB/CB DUAL MIRROR MOUNTED ANTENNA SYSTEM	4	
INTEROPERABLE SDAR ANTENNA		
ELECTRONIC KPH SPEEDOMETER WITH SECONDARY MPH SCALE, WITH ODOMETER		
ELECTRONIC 3000 RPM TACHOMETER		
IGNITION SWITCH CONTROLLED ENGINE STOP		
BW TRACTOR PROTECTION VALVE		
TRAILER HAND CONTROL BRAKE VALVE		
2 INCH TURBO AIR PRESSURE GAUGE		
2 INCH VOLTMETER		
SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		



Description	Weight Front	Weight Rear
CAB/TRAILER MARKER LIGHT SWITCH WITH SEPARATE HEADLIGHT SWITCH		
TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
VSM NON CANCELING TURN SIGNAL SWITCH WITH INTEGRAL HEADLAMP DIMMER WITH BRAKE OVERRIDE		
PACIFIC INSIGHT ELECTRONIC FLASHER		
ENGLISH MAINTENANCE, ENGINE AND DEALER DIRECTORY IN EACH TRUCK		

**Design**

PAINT: ONE SOLID COLOR

**Color**

CAB COLOR A: HSB905919 BLACK MET PPG BASE/CLEAR  
 CAB INTERIOR PAINTED SAME AS CAB COLOR  
 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT  
 VENDOR WHITE FRONT WHEELS/RIMS  
 VENDOR WHITE REAR WHEELS/RIMS  
 FENDER + UNDER CAB + INTERIOR CAB FLOOR UNDERCOATING

**Certification / Compliance**

CANADA CMVSS CERTIFICATION

**Secondary Factory Options**

\* SPECIAL NARRATIVE INSTRUCTIONS  
 THIS TRUCK TO BE 2011 MODEL YEAR

**T O T A L V E H I C L E S U M M A R Y**

**Weight Summary**

	Weight Front	Weight Rear	Total Weight
Factory Weight <sup>+</sup>	510763 LBS	609489 LBS	1120252 LBS
Total Weight <sup>+</sup>	510763 LBS	609489 LBS	1120252 LBS



**ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE**

**Other Factory Charges**

DELIVERY & ORDER PROCESSING CHARGE

**Extended Warranty**

COOLING EXTENDED WARRANTY 3 YEARS OR 200,000 MILES/320 000 KM

EXTENDED FRONT/REAR AXLES COVERAGE UPGRADE 3 YEARS/300,000 MILES/480 000 KM

FRAME RAIL/CROSSMEMBER EXTENDED WARRANTY, 6 YEAR/750,000 MILE/1 200 000 KM

CAB AND HOOD EXTENDED WARRANTY 3 YEARS/UNLIMITED

TOWING EXTENDED/ROADSIDE SERVICE WARRANTY, 1 YEAR/UNLIMITED MILEAGE

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

